

Iteration and Release Planning

CSCI 5828: Foundations of Software Engineering
Lecture 14 — 10/09/2014

Goals

- Cover the material presented in Chapters 8-11 of our user stories textbook
 - Estimating User Stories
 - Planning a Release
 - Planning an Iteration
 - Measuring and Monitoring Velocity

Estimating User Stories

- Developers need to assign “points” to a story to indicate how long it will take to implement
 - Our user/customer assigns priorities to stories, not estimates
- Our book highlights a number of desirable properties for this approach
 - it allows us to change our minds about an estimate when new info arrives
 - works for both epic stories as well as smaller stories
 - doesn't take a lot of time; we want to spend our time developing
 - provides useful information about our progress and work remaining
 - is tolerant of imprecision in estimates
 - can be used to plan releases

Story Points

- A point is a unit that can be defined by the development team
 - It might represent “eight hours of uninterrupted work” for one team
 - It might represent “forty hours of uninterrupted work” for another
 - Some use points to represent complexity (lots of points == complex)
- The book recommends thinking of one point as “one ideal work day”
 - where ideal means: a day with no interruptions and the developer can be maximally productive on the task
- Two benefits with this approach
 - it avoids getting too specific: “this story will take 39.5 hours”
 - it gives people confidence: “Yeah, that story is about two days of work”

Estimates belong to the Team

- It is important to have the team create the estimates for each story
 - The success of the project is attributed to the team not to individuals
 - to establish this perspective: make estimates together
 - if you get it wrong, it's the team that failed, not one individual
- In addition, when creating/estimating stories, it may not be clear who will be assigned to this particular story
 - therefore, the team works to create the estimate and then individuals assigned to the story later know
 - they had a voice in creating the estimate they are working against
 - the team is responsible if the estimate is wrong

The Process of Estimation

- The book recommends an estimation process developed by Barry Boehm
 - the Wideband Delphi approach
- Gather the development team and the customer/user(s)
 - Bring the stories that need estimates and blank index cards
 - Distribute the cards to the development team
- Loop until all stories have estimates
 - Read a story out-loud
 - Loop until estimates have converged
 - Engage in Q&A with customer/users about that story
 - Each developer writes an estimate; when ready, show all estimates
 - Developers discuss differences in estimates; raising questions/issues
 - New stories may be created due to this discussion

Triangulate

- After a set of stories have received estimates, developers need to review them and see if they are being consistent
 - Group the stories by number of points and discuss
 - For example, are these two point stories really twice as small as the four points stories?
 - If yes, continue estimating
 - If not, change the estimates
- This helps the team achieve consistency across the entire set of user stories
 - Later in a development project, the need for triangulation may go down as the team becomes more confident and knowledgeable of their abilities

Velocity

- The term velocity is defined as “number of story points completed per iteration”
 - Agile software life cycles recommend that
 - before the first iteration begins, the team makes a guess at what their velocity will be
 - if a point means “ideal work day”, you can start with this formula
 - number of team members x number of days in iteration
 - then, your velocity for iteration N is the actual number of points completed for iteration N-1
 - if you completed 32 points in the previous iteration, your velocity for planning the next iteration is 32.

Release Planning

- A release is a version of the system under development that is going to be deployed and put into production use
 - Release planning in software development involves having a release roadmap in which the next several releases have been identified
 - and the functionality for each release has been specified at a high level
 - Kent Beck recommends thinking of this as “themes” for each release
- With a release roadmap, you need to engage in release planning
 - users/customers need to assign priorities to estimated user stories
 - all stakeholders need to work together to identify the length of an iteration
 - Issues include dealing with risk and determining velocity

Assigning Priorities

- Our book points to a prioritization scheme that may be better than the typical “low/medium/high” approach
 - Must have
 - Should have
 - Could have
 - Won’t have (for this release)
- This approach divides stories into clear buckets that can then be used to assign stories to iterations within the release
 - If a customer can’t assign a priority to a user story, this (typically) indicates that the story needs to be split until clear priorities can be assigned

Risky Stories

- The issue here is what approach should agile projects take
 - tackle risky stories first
 - or go after “low hanging fruit”
- The book asserts that agile life cycles like to go after low-hanging fruit
 - high-value functionality that is straightforward to implement
- This allows time for more information to be gathered about high-risk stories
 - and this additional information may reduce the risk associated with them
- I think you need to balance this with the common issue of “problem avoidance”; make sure you’re clear on what the risks are => such information may produce action items that can reduce the risk and make it feasible

Iteration Length and Expected Duration

- Iteration length is typically from one week to four weeks
 - Agile life cycles recommend selecting shorter lengths to increase the feedback loop with the customer
- The important thing is once the length is selected: **DON'T CHANGE IT!**
 - Your team needs to settle into a comfortable development pace
 - Arbitrary changes to the iteration length will hinder that goal
- Once you have an iteration length, an initial velocity, and a set of prioritized, estimated user stories, you can make initial “ballpark” predictions about how long it will take to create a release
 - $\text{round_up}(\text{number of points} / \text{velocity}) == \text{number of iterations}$
 - $\text{number_of_iterations} * \text{iteration_length} == \text{number of days until release}$

Velocity, revisited

- Previously we suggested
 - number of team members x number of days in iteration
- is a good formula for picking an initial velocity
- However, you need to take into account that “number of days” means “number of **IDEAL** days”
 - You need to include a conversion factor between an IDEAL day and an ACTUAL day
 - An actual day won't be eight hours of uninterrupted work due to meetings, interruptions, illness, turnover, etc.
- Ideal velocity for six people with two week iteration (10 business days): 60
- Converting to an ACTUAL day: $6 \times 10 \times .5 = 30$; $6 \times 10 \times .25 = 15$!

Iteration Planning (I)

- The points-based approach to release planning works well
 - It provides enough planning to make progress on the project
 - It lacks enough detail to avoid giving a false sense of accuracy
 - People will be aware that there can be errors made in the estimates and can react once new information is available to make the errors clear
- In iteration planning, you need to engage in more detail to help create accurate work plans over the days allocated to an iteration
 - An iteration planning meeting occurs “between iterations”
 - If it occurs “during” an iteration, then you need to include the time spent on it in your other estimates (perhaps by adjusting your velocity down by a point or two to account for it)

Iteration Planning (II)

- All developers and the customer/user must be present for an iteration planning meeting
 - The developers are required to help identify tasks and make estimates
 - The customer/user is required to answer questions about the stories
- The process involves
 - For each story in the iteration
 - engage in Q&A with customer/user about the story
 - convert story into tasks that need to be completed to finish the story
 - assign each task to a single developer
 - Each developer then estimates each assigned task; performs sanity check
 - if a developer is overloaded, rebalancing or more planning is needed

Tasks

- Task identification takes a story that is written in a customer perspective and transforms it into a set of steps that are written from a developer's perspective (finally!)
- “A job seeker can search for jobs” might be transformed into
 - Code basic search interface
 - Write controller to handle submissions from search interface and perform the search
 - Ensure that controller can access the database correctly
 - Write a view that will display the results
- Working on this step will require “design thinking” either to come up with an initial design for a system or to integrate this feature into the existing design


Task Estimation

- In release planning, we worked with “ideal days”
 - With task planning, we work with “ideal hours”
- Once a developer has their assigned tasks, they estimate the number of hours it will take to complete each one
 - They then add those hours up to perform a sanity check
 - They can also include a factor to transform ideal hours into actual hours
- Sanity Check
 - Compare number of hours with the length of the iteration
 - If the number of hours to complete the tasks is greater than the number of available hours, then rebalancing is needed
- A team perspective is needed to make this successful


Measuring and Monitoring Velocity

- Once points/priorities have been assigned and releases and iterations have been planned, the most important metric for an agile life cycle is velocity
 - velocity tracks how much work is completed in an iteration
 - before the iteration it is a “guess”
 - a guess that we have increased confidence in over time
 - after an iteration it is an actual metric that can be used in assessment
- How do we measure velocity?
 - The number of points associated with completed stories
 - Incomplete stories are not included (velocity is an integer not a float)
- With velocity measured, we can chart our progress in a variety of ways


Planned vs. Actual Velocity




Planned vs. Actual Cumulative



Iteration Burndown Charts



Daily Burndown Charts



Summary

- In executing an agile life cycle, you must
 - estimate your stories
 - plan your releases
 - plan your iterations
 - measure your progress
- We have looked at various recommendations for performing these tasks
 - using “ideal days” (stories) and “idea hours” (tasks) for estimates and then using a conversion factor to get to “actual days” and “actual hours”
 - saw example charts to measure actual progress
 - Agile life cycles are brutal; if you fall behind, you’ll know it fast
 - the good news is that you’ll deal with schedule delays quickly and hopefully before they become a problem

Coming Up Next

- Lecture 15: **MIDTERM**
- Lecture 16: Midterm Review (if I can swing it)