



XSLT Overview

Kenneth M. Anderson

Web Services

CSCI 7818 - Fall Semester, 2008



Today's Lecture

- Introduce XSLT
 - background
 - concepts
 - examples
- XSLT stands for XML Stylesheet Language, Transformations



Transformations

- XSLT was developed as part of the XML stylesheet standards effort
- What's a stylesheet?
 - A stylesheet is a device for specifying presentation information independent of content
 - For instance, in Microsoft Word, you can specify that a “heading” should appear in 36pt Times bold font with double spacing above and below
 - Then all headings will appear that way, no matter what the heading actually “says”



Stylesheets in HTML

- The Web already has a stylesheet language called “cascading stylesheets” or CSS
- This mechanism allows formatting information to be associated with HTML tags, such as `<h1>` or `<p>` without using `` or `` tags
- In the last lecture, we asked the question, if CNN switched to using XML in their webpage, how would they associate formatting information with a tag such as `<headline>`?



XSLT

- The answer is with the XML Stylesheet Language, Transformations (XSLT)
 - As the name suggests, XSLT is part of the XSL Specification
 - This part specifies mechanisms for transforming XML to other structures
 - XML->XML
 - XML->HTML
 - XML->PDF



XSLT

- XSLT is often used to transform XML documents into XHTML and CSS
 - XHTML and CSS are the current standard for presenting structured / styled information on the Web
 - See `<http://www.csszengarden.com/>` for details




Background

- To understand XSLT, you must view XML documents as tree structures
 - XSLT provides rules to transform one tree into another tree
 - It traverses the source tree in an order dictated by the stylesheet and creates the destination tree using the rules of the stylesheet

Example of viewing XML as a tree

```
<!DOCTYPE gradebook [  
  <!ELEMENT gradebook (class, student*)>  
  <!ELEMENT class (name, studentsEnrolled)>  
  <!ATTLIST class semester CDATA #REQUIRED>  
  <!ELEMENT name (#PCDATA)>  
  <!ELEMENT studentsEnrolled (#PCDATA)>  
  <!ELEMENT student (name, grade*)>  
  <!ELEMENT grade (#PCDATA)>  
  <!ATTLIST grade name CDATA #REQUIRED>  
>
```





Background: XPath

- XSLT uses a separate standard, called XPath, to help select nodes in an XML document
- For instance...
 - `gradebook/student/grade`
 - ...is an XPath expression that selects all “grade” nodes in the example on the previous slide
- XPath can even select attributes...for example..
 - `gradebook/student/grade[@name=“hw3”]`
 - ...will select only those grade nodes that have a value of “hw3” for their name attribute



More XPath examples

- `//grade`
 - “start at the root node and find all grade nodes”
- `gradebook/student[2]`
 - “select the second student node under gradebook”
- For more information on XPath see
 - `< http://www.w3.org/TR/xpath >`



XSLT, the details

- XSLT transforms XML documents using stylesheets that are themselves XML documents
- All XSLT stylesheets have the following form

```
<?xml version="1.0"?>
```

```
<xsl:stylesheet version="1.0"
```

```
  xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
```

```
  ...templates and transformation rules go here...
```

```
</xsl:stylesheet>
```



Stylesheets

- Stylesheets consist of templates that “match” nodes of the source XML tree (i.e. document)

- Each template then specifies what should be created in the destination tree (or document)


- A template looks like this:

```
<xsl:template match="/">
<html>
  <head>
    <title>Grade Book</title>
  </head>
  <xsl:apply-templates/>
</html>
</xsl:template>
```

The tag is called “xsl:template” and it has an attribute called “match” that takes an XPath expression

If a node matches this expression (in this case the root node) then the associated text appears in the destination document (except for the “xsl:apply-templates” part)

XSLT Architecture



The same XML File can be transformed into XML, HTML, PDF, etc. just by using a different stylesheet



More Details

- Stylesheet processing
 - XSLT processor is handed a document and a stylesheet
 - It starts a (breadth-first) traversal at the root node and checks to see if there is a template match
 - If so, it applies the template and looks for an “xsl:apply-templates” element
 - If such an element exists, it continues the traversal
 - if no such element exists, the traversal stops
 - If not, it traverses down the tree looking for a template match with some other node of the tree



XSL:apply-templates

- The apply-templates tag determines if an XSLT processor continues traversing a document once a template match has occurred
- The apply-templates tag can contain an attribute called “select” which can specify the specific children to continue traversing using an XPath expression
 - `<xsl:apply-templates/>`
 - All children traversed
 - `<xsl:apply-templates select=“grade[@name=‘HW4’]”>`
 - All grade nodes with a name attribute equal to “HW4” traversed (any other nodes skipped during the subsequent traversal)



Processing in XSLT stylesheets

- XSLT is very powerful
 - We cannot cover the entire standard
 - So, the following slides cover only a small subset of the tags that can be placed in an XSLT stylesheet
 - For a good reference on XSLT see:
 - <http://www.zvon.org/xxl/XSLTreference/Output/index.html>



Repetition

```
<xsl:for-each select = "item">
```

Do something here ...

```
</xsl:for-each>
```

- Again, the select attribute is an XPath expression that selects the nodes to iterate over



Repetition Example

```
<xsl:template match="/">
<html>
  <head>
    <title>Grade Book</title>
  </head>
  <body>
    <ul>
      <xsl:for-each select="student/grade">
        <li>Grade: <xsl:value-of select="."/></li>
      </xsl:for-each>
    </ul>
  </body>
</html>
</xsl:template>
```



Example Explained

- This example creates a simple HTML file that contains a list of all the grades received by students in the gradebook
 - Note: It did not list student names for each set of grades but it could have easily done so.
 - The “student/grade” XPath expression in the for-each select attribute skipped past the student nodes and selected only grade nodes
 - The value-of element pulled the value of the grade element (e.g. the grade) into the HTML file
 - The resulting HTML file is shown on the next slide



Generated HTML File

```
<html>
  <head>
    <title>Grade Book</title>
  </head>
  <body>
    <ul>
      <li>Grade: 10</li>
      <li>Grade: 7</li>
      <li>Grade: 6</li>
      <li>Grade: 10</li>
      ... more grades here ...
    </ul>
  </body>
</html>
```

- In the browser, this file would look like this:
- Grade Book
 - Grade: 10
 - Grade: 7
 - Grade: 6
 - Grade: 10
- e.g. a bulleted list of grades



Additional Tags

- `<xsl:value-of select=".">`
 - Used to pull the values of XML tags out of XML files, e.g. the part that appears between the begin and close tags
 - `<grade>10</grade>` -> places 10 in destination document
- `<xsl:if test="position()=last()>`
 - A tag for doing processing conditionally
 - value of test is again an XPath expression
 - This particular XPath expression determines if the current node is the last child of the parent node



Additional Tags

```
<xsl:choose>  
  <xsl:when  
    test = "position()=last()">  
    Do something for last element  
  </xsl:when>  
  <xsl:when  
    test = "position()=first()">  
    Do something for first element  
  </xsl:when>  
  <xsl:otherwise>  
    Do something for other elements  
  </xsl:otherwise>  
</xsl:choose>
```



Additional Tags

- `<xsl:sort data-type="" select="" order="">`
 - Used to sort the results of a select statement of another XSLT tag
 - The select attribute of xsl:sort is used to indicate which field of the selected nodes is used to perform the sort
 - Appears within an `<xsl:apply-templates>` tag
 - data-type can have the value “text” or “number”; text is the default
 - order can have the value “ascending” or “descending”; ascending is the default
- `<xsl:apply-templates select="//student">`
 - `<xsl:sort select="name"/>`
- `</xsl:apply-templates>`
- This selects all student nodes, sorts them by name, and then applies templates to them



More information

- <http://www.xslt.com/>
 - General Information
- <http://www.w3.org/TR/xslt/>
 - XSLT specification
- <http://xml.apache.org/xalan/>
 - Powerful XSLT stylesheet processor