

An Example file... log.txt

Start of file

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```


An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am:      watched tv
wednesday 7:30pm: watched tv
friday 5pm:      watched tv
saturday 3:36pm: watched tv
sunday 10pm:     did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm:  watched tv
tuesday 5am:          watched tv
wednesday 7:30pm:  watched tv
friday 5pm:  watched tv
saturday 3:36pm:  watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```


An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt


```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

Repeat


```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```



An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```


An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

End of File



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```



An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

End of File



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```



An Example file... log.txt

```
monday 4pm: watched tv
tuesday 5am: watched tv
wednesday 7:30pm: watched tv
friday 5pm: watched tv
saturday 3:36pm: watched tv
sunday 10pm: did work
```

End of File



```
int dayn = 0;
while ( (dayn >= 0) &&
        (infile >> day) )
{
    dayn = FindDayNum(day);
    if (dayn >= 0)
    {
        activity[dayn] = true;
        infile >> daytime[dayn];
        infile.getline(dayactivity[dayn],80);
    }
}
```

Done

